

X-GRIP SELECTION 2025



EN

XGRIP

65/2025

ALL THE ADVANTAGES OF X-Grip TECHNOLOGY



DAMAGED SCREWS

X-Grip allows you to work effectively on both new and heavily damaged screws: the tool will not lose its grip on the screw, enabling you to continue with your work.




TORQUE TRANSMISSION

The grip that the X-Grip profile exerts on the head of a new screw allows for the transmission of a higher tightening torque compared to standard profiles. This is a real advantage when dealing with a new screw tightened with high torque, making it difficult to loosen.



PREVENTS DAMAGE

X-Grip profiles are designed to prevent damage to the profiles of new screws. By using X-Grip tools, new screws will have a longer lifespan.



COMBINATION WRENCH 285 X


INCLINED OPEN END
angled at 15° as regards
to wrench axis.



YouTube

DOUBLE T SECTION
Excellent resistance to
flexion.

SPECIAL RING SHAPE
Ideal for operations on
nuts difficult to reach.



30%

**+30% LONGER THAN A STANDARD
COMBINATION WRENCH 285**

It allows to apply a torque of 30%
higher than the standard key.



SPECIAL X-Grip PROFILE

**Effective even on heavily damaged screws.
On new screws, it transmits greater torque
and preserves the screw profile's lifespan.**



8

PIECES

285 X/B8

U02850950

**Set of 8 combination wrenches with
special profiles**

- 285 X/8-10-11-12-13-14-17-19 mm.
- Supplied in a high strength fabric roll-up bag.



8÷19 mm

12

PIECES

285 X/B12

U02850951

**Set of 12 combination wrenches with
special profiles**

- 285 X/8-9-10-11-12-13-14-15-16-17-18-19 mm.
- Supplied in a high strength fabric roll-up bag.



8÷19 mm

SOCKETS 235 X AND 235 XL



YouTube

**SPECIAL CHROME
VANADIUM STEEL**
Chrome plated finish.

NEW

SPECIAL X-Grip PROFILE

Effective even on heavily damaged screws. On new screws, it transmits greater torque and preserves the screw profile's lifespan.



1/2"
12
PIECES

235 1/2" XL/SE12
U02354101

Set of 12 hexagonal sockets with special profile

10-11-12-13-14-
15-16-17-18-19-
21-22 mm



1/2"
12
PIECES

235 1/2" X/SE12
U02350501

Set of 12 hexagonal sockets with special profile

10-11-12-13-14-
15-16-17-18-19-
22-24 mm



1/4"
10
PIECES

235 1/4" X/SE10
U02350500

Set of 10 hexagonal sockets with special profile

5,5-6-7-8-9-10-
11-12-13-14 mm

MAGNETIC LOCKING SOCKET HOLDER 559 A

- Magnetic base protected by a rubber layer: not damage the surface
- 360° adjustable clips, to quickly identify the socket size



NEW

SOCKETS 234 X AND 234 MX FOR SCREWS WITH RECESSED HEXAGONS.

SPECIAL CHROME VANADIUM STEEL
Chrome plated finish.

SPECIAL CHROME VANADIUM STEEL
Chrome plated finish.

SPECIAL X-Grip PROFILE

Effective even on heavily damaged screws. On new screws, it transmits greater torque and preserves the screw profile's lifespan.



NEW



1/2" 8 PIECES



234 1/2"MX/SE8
U02340850

Set of 8 impact socket bits with special X-Grip hex profile for hex socket screws

5-6-8-10-12-14-17-19 mm

NEW



1/2" 8 PIECES



234 1/2"X/SE8
U02342150

Set of 8 socket bits with special X-Grip hex profile for hex socket screws

5-6-8-10-12-14-17-19 mm

THE EFFECTIVENESS OF X-GRIP. THE POWER OF IMPACTS.



SOCKETS FOR RATCHET WITH INTEGRATED BIT.



RANGE OF X-Grip SETS IN CASE

Includes hex bits, Torx bits, and X-Grip sockets.

SPECIAL X-Grip PROFILE

Effective even on heavily damaged screws.

On new screws, it transmits greater torque and preserves the screw profile's lifespan.



Socket-holder



23
PIECES

609 1/4" SKX
U06090004

120
30
60
134 g mm



Assortment with special hexagonal sockets and bits

- Compact bimaterial box with soft-touch covering
- Metal closing clip
- Socket size engraved inside

DESCRIPTION	ITEM/SIZE	PCS
Reversible ratchet with extension	237 1/4" SK	2
Hexagonal sockets with special profile	235 1/4" X 6-8-10-12-13	5
Bits for slot-head screws	660 0,5x4	1
Bits for PHILLIPS® screws	660 PH 2	1
Bits for Pozidriv®- Supadriv® screws	660 PZ 2	1
Socket-holder bit	660 Q 1/4"	1
Bits for TORX® Tamper Resistant screws	660 XSTX T20-T25-T30-T40	4
Bits with special hexagonal profile	660 X 2-2,5-3-4-5-6-7-8	8



YouTube

NEW



38
PIECES

609 1/4" EAX
U06090003

155
50
95
900 g mm

Assortment in bi-material case with hexagonal X-Grip sockets and bits (38 pcs)

- Compact bi-material case with soft-touch coating
- Metal latch clip
- Internal marking of contained socket sizes

DESCRIPTION	ITEM/SIZE	PCS
Hexagonal sockets with special profile X-Grip	235 1/4" X 5,5-6-7-8-9-10-11-12-13-14 mm	10
Extensions	236 1/4" 50-100	2
Reversible ratchet with sealed mechanism	237 A 1/4"	1
Universal joint	241 1/4"	1
Spinner with handle	243 1/4"	1
Bits for slot-head screws	660 0,6x4,5-1x5,5-1,2x6,5	3
Bits for PH	660 PH 1-2-3	3
Bits for PZ	660 PZ 1-2-3	3
Bits with special profile X-Grip	660 X 2-3-4-5-6	5
Special Profile TORX® Tamper Resistant	660 XSTX T10-T15-T20-T25-T27-T30-T40	7
Bit-holder sockets	660 Q 1/4"	1
Socket-holder bit	684 1/4"-1/4"	1



NEW

8-10-11-12-13-14-15-16-17-18-
19-21-22-24-27-30-32 mm



STEEL HANDLE

The extension included in the set becomes the carrying handle.



System that allows you to always keep track of the contents of the set.



Internal marking of the contained sockets.

21
PIECES

609 1/2" EAX
U06090027

3,7 kg 335 mm 55 mm 180 mm

1/2"

Assortment in bi-material case with hexagonal X-Grip sockets

- Bi-material case with soft-touch coating
- Metal latch clip
- Internal marking of contained socket sizes becomes the carrying handle
- Modularity: the case has the dimensions of a tool module and can be housed in the H60 mm drawers of trolleys

DESCRIPTION	ITEM/SIZE	PCS
Hexagonal sockets with special profile	235 1/2" X 8-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm	17
Extensions	236 1/2" 125-200	2
Reversible ratchet certified IP51	237 A 1/2"	1
Universal joint	241 1/2"	1



NEW

15-17-19-21-22 mm

5
PIECES

235 1/2" XL/C5
U02353900

1 kg 180 mm 44 mm 115 mm

1/2"

Assortment in bi-material case with long sockets featuring special X-Grip hex opening

- Compact bi-material case with soft-touch coating
- Metal latch clip
- Internal marking of contained socket sizes



SPECIAL X-Grip PROFILE

Effective even on heavily damaged screws. On new screws, it transmits greater torque and preserves the screw profile's lifespan.



6

PIECES

280 HX/SE6

U02802460

Set of 6 angled hexagon keys with special profiles and bimaterial handgrip

- 280 HX/2,5-3-4-5-6-8 mm.
- Ergonomic bimaterial handgrip with anti-slip coating
- Design studied for a safe grip during operations
- Highly alloyed special steel
- Zinc phosphate plated for high corrosion resistance



YouTube

9

PIECES

280 X/S9

U02800485

Set of 9 angled hexagon keys with special profiles

- 280 X/1,5-2-2,5-3-4-5-6-8-10 mm.
- It allows you to work on damaged screws even at an angle of 25°
- Highly alloyed special steel
- Zinc phosphate plated for high corrosion resistance
- Supplied with plastic holder



YouTube



9

PIECES

660 X/B9

U06600100

Set of bits with special profile

- Special hexagonal profile X-Grip: perfect grip on new or damaged hexagons recessed, up to 92%
- Special steel with phosphated finish
- Including 1/4-1/4" bit holding socket
- Supplied in a compact fabric pouch

↔ 110
↓ 20
mm ↗ 105



YouTube



2-2,5-3-4-5-6-7-8 mm

1/4 Bit-holding socket

DESCRIPTION	ITEM/SIZE	PCS
Bits with special hexagonal profile	660 X 2-2,5-3-4-5-6-7-8	8
Bit-holding socket	684 1/4	1

280 HXTX MALE KEYS

ALL THE ADVANTAGES OF X-GRIP EVEN FOR TORX® SCREWS.



ERGONOMIC BIMATERIAL HANDLE



SPECIAL X-Grip PROFILE

Effective even on heavily damaged screws.

On new screws, it transmits greater torque and preserves the screw profile's lifespan.

TORX®

X-Grip



NEW

SPECIAL HIGH-ALLOY STEEL

Zinc-phosphate finish for high corrosion resistance.



T8-T10-T15-T20-T25-T30



NEW

6
PIECES

280 HXTX/SE6
U02802450

Set of 6 male keys with special TORX® X-Grip profile and bi-material handle

- Ergonomic bi-material handle with non-slip coating
- Design engineered for a secure grip during operation
- High-alloy special steel
- Zinc-phosphate finish for high corrosion resistance

X-Grip MODULES FOR YOUR ROLLER CABINET!

NEW



519 M 613CEAX
U05191068

22
PIECES

235 1/2" X 8-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm · 236 1/2" 125-250 mm · 237 A 1/2" · 240 1/2" N · 241 1/2".

NEW




519 M 613AEAX
U05191069

41
PIECES

235 1/4" X 5,5-6-7-8-9-10-11-12-13-14 mm · 236 1/4" 50-100 mm · 237 A 1/4" · 240 1/2" N · 241 1/4" · 243 1/4" · 280 X/S9" · 660 X 2-2,5-3-4-5-6-7-8 mm · 660 XSTX T10-T15-T20-T25-T27-T30-T40 · 684 1/4".

NEW



519 M 235XL
U05191067

12
PIECES

235 1/2" XL 10-11-12-13-14-15-16-17-18-19-21-22 mm.

NEW




519 M 234X
U05191017

16
PIECES

234 1/2" X 5-6-8-10-12-14-17-19 mm · 234 1/2" MX 5-6-8-10-12-14-17-19 mm.

NEW



519 M 280HXTX
U05191066

6
PIECES

280 HXTX T8-T10-T15-T20-T25-T30.



519 M 280HX
U05191064

6
PIECES

280 HX 2,5-3-4-5-6-8 mm.

Also compatible with



606 L
U06060009Q



612 L
U06120003Q

COMBINATION PLIERS 151 X

SPECIAL JAWS FOR DAMAGED SCREWS AND THREADS.

**INDUCTION-HARDENED
CUTTING EDGES**

COMPACT HEAD
For excellent accessibility.

**ERGONOMIC
BIMATERIAL GRIP**

NEW



JAWS WITH SPECIAL INTERNAL PROFILE

*Allow a frontal grip on
diameters up to 15 mm.
Effective even with little
residual material to grip.*



NEW

151 X
U01510160

Combination pliers with special X-Grip jaws

- Jaws with special inner profile for front gripping of screws or threaded rods up to a diameter of 15 mm
- Also ideal for front gripping of small hexagons
- Effective on flat material as well, thanks to the 4 front contact points
- Side serrated groove for gripping round or hexagonal material
- Cutting edges further induction-hardened
- Compact head for excellent accessibility
- Allow cutting of soft, medium-hard, and hard metal wire
- Open hinge with forged joint
- Ergonomic bi-material handles
- Blackened finish with milled surfaces

**UNIVERSAL MULTI-GRIP
JAWS WITH
INTEGRATED CUTTER**



Do you need support from us?

Go to our website:



usag.it/en/contacts/support



The images shown in this catalogue are not binding.
Stanley Black & Decker italia S.r.l. reserves the right to change the technical characteristics of its products at any time.



Stanley Black & Decker Italia S.r.l.

Via Volta, 3 - 21020 - Monvalle (VA)
Tel. +39 0332 790 111 - info.mv@usag.it

usag-tools.net

