

## ASSORTMENT FOR CAR REPAIR (210 PCS.)





### 496 B7

- Supplied with hooks and supports for cabinets 502
- Supplied without plastic trays

### Family details

| Code      | Weight kg | Quantity for packaging |
|-----------|-----------|------------------------|
| U04960023 | 35        | 1                      |

### Composition










| Article   | Pieces | Measures  |
|---|--------|---|
|  <b>285 - Combination wrenches</b>                            | 4      | 24-27-30-32   |
|  <b>252 N/SR13 - Set of 13 double ended open jaw wrenches</b> | 13     | 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x26-25x28-27x29-30x32 |










Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
 Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
 Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
 Capitale Sociale I.V. € 12.000.000

| Article  |   | Pieces | Measures                            |
|--|---|--------|-------------------------------------|
|    | 127 N - Pliers with straight nose for internal circlips     | 1      | 19÷60                               |
|    | 127 PN - Pliers with nose bent at 90° for internal circlips | 1      | 19÷60                               |
|    | 128 N - Pliers with straight nose for external circlips     | 1      | 19÷60                               |
|    | 128 PN - Pliers with nose bent at 90° for external circlips | 1      | 19÷60                               |
|  | 134 - Lock-grip pliers with concave jaws                    | 1      | 250                                 |
|  | 180 C - Box-joint adjustable pliers                         | 1      | 250                                 |
|  | 207 C - Scissors for electricians, steel blades             | 1      | -                                   |
|  | 220 B1 - Utility knife with snap-off blades                 | 1      | -                                   |
|  | 233 1/2 NTX/S9 - Set of 9 socket bits for TORX® screws      | 9      | T20-T25-T27-T30-T40-T45-T50-T55-T60 |










| Article  | Pieces | Measures  |
|--|--------|---|
|  <b>235 1/2 NTX/S7 - Set of 7 TORX® sockets</b>                              | 7      | E10-E12-E14-E16-E18-E20-E24                         |
|  <b>276 CE - T-handle wrenches with jointed hexagonal socket</b>             | 8      | 7-8-10-11-13-14-17-19                               |
|  <b>278 D - Glowplug wrenches with jointed socket</b>                        | 4      | 8L-9L-10L-12L                                       |
|  <b>278 NL - Long T-handle spark plug wrenches with jointed socket</b>       | 2      | 16-20,8   |
|  <b>279 N 1/2 - Spark plug sockets</b>                                     | 3      | 16-18-20,8  |
|  <b>280 LTS/S9 - Set of 9 long angled hexagon keys with spherical head</b> | 9      | 1,5-2-2,5-3-4-5-6-8-10                              |
|  <b>285 SE17 - Set of 17 combination wrenches</b>                          | 17     | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22      |
|  <b>351 - Ribbed chisels</b>   | 1      | 250   |
|  <b>372 SE6 - Assortment in plastic pouch (6 pcs.)</b>                     | 6      | 362/125-150; 364/125;<br>366/3x125-4x150; 368/4x125 |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
Capitale Sociale I.V. € 12.000.000

| Article   | Pieces | Measures        |
|---|--------|-----------------|
|  <b>376 - Mallets</b>   | 1      | 35              |
|  <b>382 - Hammers for mechanics</b>   | 2      | 300-500         |
|  <b>420 - Oilers</b>  | 1      | 500             |
|  <b>443 N - Fast oil-filter wrench (cars)</b>                              | 1      | -               |
|  <b>446 - Cap wrenches for oil filters</b>                               | 4      | 65-66,5-74-74 A |
|  <b>449 - Ball-joint extractors</b>                                       | 1      | 22              |
|  <b>454 - Outside pullers with two jaws</b>                               | 1      | 1               |
|  <b>746 - Crimping pliers for non-insulated open and closed terminals</b> | 1      | -               |
|  <b>870 - Spring-clips pliers</b>   | 1      | 12÷60           |










Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
 Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
 Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
 Capitale Sociale I.V. € 12.000.000

*Le informazioni e le immagini qui contenute sono soggette a continuo aggiornamento: tali dati sono pertanto da ritenersi indicativi e suscettibili di eventuali errori e/o imprecisioni. Stanley Black & Decker Italia S.r.l. declina ogni responsabilità circa le informazioni e le indicazioni ivi contenute.*










| Article   | Pieces | Measures                                 |
|---|--------|--|
|  <b>871 B - CLICK spring-clips pliers</b>             | 1      | -  |
|  <b>871/2 - Pliers for CORBIN clamps</b>              | 1      | -  |
|  <b>960 D - Digital vernier caliper 1/100</b>         | 1      | -  |
|  <b>966 - Thickness gauges</b>                        | 1      | 20                                       |
|  <b>324 - Screwdrivers for slot-head screws</b>     | 4      | 0,5x3x75-0,8x4x100-1x5,5x125-1,2x6,5x150 |
|  <b>324 D - Screwdrivers for slot-head screws</b>   | 1      | 0,4x2,5x50                               |
|  <b>324 PH - Screwdrivers for PHILLIPS® screws</b>  | 3      | 0x75-1x75-2x100                          |
|  <b>324 N - Screwdrivers for slot-head screws</b>   | 1      | 1,2x6,5x35                               |
|  <b>324 NPH - Screwdrivers for PHILLIPS® screws</b> | 1      | 2x35                                     |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
 Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
 Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
 Capitale Sociale I.V. € 12.000.000

| Article  |  | Pieces | Measures  |
|--|--|--------|---|
|    | <b>324 STX - Screwdrivers for TORX® Tamper Resistant screws</b>                            | 7      | T10x75-T15x75-T20x100-<br>T25x100-T27x100-T30x125-<br>T40x150 |
|    | <b>263/S16 - Oil draining kit (16 pcs.)</b>  | 16     | -   |
|    | <b>609 1/4 EB - Assortment with hexagonal sockets and bits in bimaterial box (38 pcs.)</b> | 38     | -   |
|    | <b>981 A - Professional tape rules with shockproof covering</b>                            | 1      | 3   |
|  | <b>606 1/2 EA - Assortment with hexagonal sockets in ABS case (23 pcs.)</b>                | 23     | -   |
|  | <b>133 AX - Half-round extra-long nose pliers with straight jaws</b>                       | 1      | 160   |
|  | <b>133 AXP - Half-round extra-long nose pliers with jaws at 45°</b>                        | 1      | 160   |
|  | <b>150 AX - Combination pliers</b>   | 1      | 180   |
|  | <b>185 AX - Diagonal cutting nippers</b>   | 1      | 160   |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
Capitale Sociale I.V. € 12.000.000

**Article**
**Pieces**
**Measures**


270 C/C3 - Assortment with hexagonal impact sockets for tyre rims with teflon protection in modular box (3 pcs.)

3

17-19-21

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
 Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
 Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
 Capitale Sociale I.V. € 12.000.000