

ASSORTMENT FOR ELECTROTECHNICS (85 PCS.)

496 H2





Family details

Code	🛔 Weight kg	
U04960071	9,1	1

Composition

Article		Pieces	Measures
	252 N/SR8 - Set of 8 double ended open jaw wrenches	8	6x7-8x9-10x11-12x13-14x15-16x17- 18x19-20x22
	053 N - Spring puller	1	
nley Black & Dec	ker Italia S.r.I.		StanleyBlack&Decker
0	ergy Park 6 - 20871 Vimercate (MB) Volta 3 - 21020 Monvalle (VA) Italia 225990138		Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000



Article		Pieces	Measures
0	056 - Rigid mirror	1	-
٢	073 - Insulating tape	1	15x10
- N 🌓 🗆 mante 👔	161 A2 - Wire stripper with adjustable blade and cutter	1	-
	201 - Hacksaw	1	-
	207 C - Scissors for electricians, steel blades	1	-
a and	216 N - Knife for electricians	1	-
	220 B1 - Utility knife with snap-off blades	1	-
	299 - Hexagonal socket spinners with grip	6	5,5-6-7-8-10-13
	418 - Oilers	1	70

Stanley Black & Decker Italia S.r.I.StanleyBlack & DeckerSede legale: Via Energy Park 6 - 20871 Vimercate (MB)
Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia
Partita IVA e C.F: 03225990138Società a Socio Unico soggetta a coord. e controllo
da parte di Stanley Black & Decker, Inc.
Capitale Sociale I.V. € 12.000.000



Article		Pieces	Measures
Ŕ	280 S9 - Set of 9 angled hexagon keys	9	1,5-2-2,5-3-4-5-6-8-10
	280 STX/S8 - Set of 8 keys for TORX® Tamper Resistant screws	8	_
4)	354 - Extra flat chisel	1	-
	368 - Centre punches	1	4x125
b	376 - Mallets	1	35
	382 - Hammers for mechanics	1	300
	765 EN - Cable ties	4	100*2,5x98-100*3,6x140- 100*4,8x360-100*7,8x365
	765 - Cable ties pliers	1	_
	991 SE6 - Set of 6 needle files	6	1

Stanley Black & Decker Italia S.r.l.

StanleyBlack&Decker

da parte di Stanley Black & Decker, Inc.

Capitale Sociale I.V. € 12.000.000

Società a Socio Unico soggetta a coord. e controllo

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138



Article		Pieces	Measures
	974 - Scriber	1	-
	987 F - Rigid scrapers	1	50
	994 A - Brush	1	-
	324 PZ - Screwdrivers for POZIDRIV®- SUPADRIV® screws	3	0x75-1x75-2x100
	324 N - Screwdrivers for slot-head screws	1	0,8x4x35
	324 NPH - Screwdrivers for PHILLIPS® screws	2	1x35-2x35
	178 N - Lay-on slip-joint adjustable pliers	1	250
	981 A - Professional tape rules with shockproof covering	1	3
	321 F - Phase-testing screwdriver 110+250V	1	_

Stanley Black & Decker Italia S.r.l.

StanleyBlack&Decker

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000



Article		Pieces	Measures
	091 - Screwdrivers for slot-head screws - 1000 V	5	0,4x2,5x50-0,5x3x75-0,8x4x100- 1x5,5x125-1,2x6,5x150
	091 PH - Screwdrivers for PHILLIPS® screws - 1000 V	3	0x75-1x100-2x125
	081 EX - Half-round extra-long nose pliers with straight jaws - 1000 V	1	160
	085 EX - Combination pliers - 1000 V	1	180
and the second second	889 TS - Pen-type LED torch in Aluminium - 110 Lumen	1	-
	087 EX - Diagonal cutting nippers - 1000 V	1	160
s¦	359 - Chisels for electricians	2	14x200-14x250
<u>ر</u> درابه ا	367 - Pin punches	4	2x115-3x125-4x145-5x165

Sets / Compositons

Stanley Black & Decker Italia S.r.l.	
Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138	



Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000





Articles



001 PH - Case with assortment 496 H2 for electrotechnics (85 pcs.)

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138

StanleyBlack&Decker

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000