

BI-COLOUR FOAM MODULE WITH ASSORTMENT (46 PCS.)



519 M 613AEB

PROMO

Family details

| Code | LxPxH mm | Weight kg | |
|-----------|------------|-----------|---|
| U05190924 | 415x188x45 | 1 | 1 |

Composition

| Article | | Pieces | Measures |
|---------|--------------------------------|--------|--------------------------------|
| b 28 | 235 1/4 EN - Hexagonal sockets | 10 | 5,5-6-7-8-9-10-11-12- 13-14 |
| | 236 1/4 - Extensions | 2 | 50-100 |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138

StanleyBlack&Decker

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.
Capitale Sociale I.V. € 12.000.000



| Article | | Pieces | Measures |
|-------------|--------------------------------------------------------------------|--------|-----------------------------|
| | 240 1/4 - T-handle with sliding square drive | 1 | - |
| | 241 1/4 - Universal joint | 1 | - |
| | 280 LTS/S9 - Set of 9 long angled hexagon keys with spherical head | 9 | 1,5-2-2,5-3-4-5-6-8-10 |
| * < * I | 660 - Bits for slot-head screws -1/4" | 3 | 0,6x4,5-1x5,5-1,6x8 |
| | 660 E - Bits for hex socket screws -1/4" | 5 | 3-4-5-6-8 |
| 4 55 | 660 PH - Bits for PHILLIPS® screws -1/4" | 3 | 1-2-3 |
| | 660 PZ - Bits for POZIDRIV® - SUPADRIV® screws -1/4" | 3 | 1-2-3 |
| === | 660 STX - Bits for TORX® Tamper Resistant screws -1/4" | 6 | T15-T20-T25-T27- T30-T40 |
| | 684 - Bit-holder sockets | 1 | 1/4 |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138

StanleyBlack&Decker

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000



| Article | | Pieces | Measures |
|---------|------------------------------------------------------|--------|----------|
| V | 237 B 1/4 - Reversible ratchet with sealed mechanism | 1 | - |
| 55- | 243 1/4 - Spinner with handle | 1 | - |
| | 519 M 613AEAAV - Bi-colour foam module (empty) | 1 | - |

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB) Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia Partita IVA e C.F: 03225990138

StanleyBlack&Decker

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc. Capitale Sociale I.V. € 12.000.000