

## ASSORTMENT IN PLASTIC TRAY (52 PCS.)



### 519/615AEA



### Family details

Code	LxPxH mm	Weight kg	Quantity for packaging
U05190837	415x188x45	1,4	1

### Composition










Article	Pieces	Measures
 <b>235 1/4 EN - Hexagonal sockets</b>	10	5,5-6-7-8-9-10-11-12-13-14
 <b>236 1/4 - Extensions</b>	2	50-150





Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
 Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
 Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
 Capitale Sociale I.V. € 12.000.000

Article	Pieces	Measures
 <p>237 A 1/4 - Reversible ratchet with sealed mechanism (certified IP51)</p>	1	-
 <p>240 1/4 - T-handle with sliding square drive</p>	1	-
 <p>241 1/4 - Universal joint</p>	1	-
 <p>280 LTS/S9 - Set of 9 long angled hexagon keys with spherical head</p>	9	1,5-2-2,5-3-4-5-6-8-10
 <p>280 LTSTX/S8 - Set of 8 long angled keys with spherical head for TORX® screws</p>	8	T10-T15-T20-T25-T27-T30-T40-T45
 <p>660 - Bits for slot-head screws -1/4"</p>	2	0,5x4-1x5,5
 <p>660 E - Bits for hex socket screws -1/4"</p>	5	3-4-5-6-8
 <p>660 PH - Bits for PHILLIPS® screws -1/4"</p>	3	1-2-3
 <p>660 PZ - Bits for POZIDRIV® - SUPADRIV® screws -1/4"</p>	2	1-2

Article		Pieces	Measures
	<b>660 STX - Bits for TORX® Tamper Resistant screws -1/4"</b>	<b>6</b>	<b>T10-T15-T20-T25-T30-T40</b>
	<b>519/615AEV - Plastic tray (empty)</b>	<b>1</b>	<b>-</b>
	<b>243 1/4 - Spinner with handle</b>	<b>1</b>	<b>-</b>
	<b>684 - Bit-holder sockets</b>	<b>1</b>	<b>1/4</b>