



282 SN Chiavi a settore snodate con nasello quadro



DATI TECNICI

- Per operare con una sola chiave su ghiera di più diametri
- Esecuzione cromata



282 SN

Chiavi a settore snodate con nasello quadro

DISEGNO




TABELLA DISEGNO

	A	B	C	D	E	F	J	K	L
USAG 282 SN / 15-35	48.5	17.35	17.35	2.0	2.0	5.0	4.0	3.0	23.27
USAG 282 SN / 35-50	49.5	27.75	27.75	2.75	2.75	5.0	4.0	5.7	23.68
USAG 282 SN / 50-80	90.0	28.05	28.05	3.5	3.5	9.0	4.0	9.0	26.07
USAG 282 SN / 80-120	91.4	32.03	32.03	5.0	5.0	9.0	4.0	12.5	26.97
USAG 282 SN / 120-180	93.6	55.82	55.82	7.5	7.5	9.0	4.0	18.7	44.68

Durezza HRC 33÷40



282 SN


Chiavi a settore snodate con nasello quadro

MATERIALI

Acciaio

CONFEZIONAMENTO

- Sacchetto di plastica 1Pz



Stanley Black & Decker Italia Srl
Via Volta, 3 - 21020 Monvalle (VA)
Tel. +39 0332 790111 - Fax +39 0332 790330
info.mv@usag.it

USAG.IT
USAG-TOOLS.NET

UK Importer - USAG UK, 270 Bath Rd, Slough SL1 4DX, England