



282 SN

Chiavi a settore snodate con nasello quadro



DATI TECNICI

- Per operare con una sola chiave su ghiera di più diametri
- Esecuzione cromata



282 SN
Chiavi a settore snodate con nasello
quadro
DISEGNO




TABELLA DISEGNO

	ϕS	A	B	L	D	E
USAG 282 SN / 15-35	15~35	5,2	31	168	3,3	3,2
USAG 282 SN / 35-50	35~50	5,9	39	202	3,8	4,2
USAG 282 SN / 50-80	50~80	7,5	55	280	4,8	5,2
USAG 282 SN / 80-120	80~120	8,2	75	345	5,3	5,8
USAG 282 SN / 120-180	120~180	10,8	110	465	9,2	7,8

Durezza HRC 33÷40



282 SN


Chiavi a settore snodate con nasello quadro

MATERIALI

Acciaio

CONFEZIONAMENTO

- Sacchetto di plastica 1Pz



Stanley Black & Decker Italia Srl
Via Volta, 3 - 21020 Monvalle (VA)
Tel. +39 0332 790111 - Fax +39 0332 790330
info.mv@usag.it

USAG.IT
USAG-TOOLS.NET

UK Importer - USAG UK, 270 Bath Rd, Slough SL1 4DX, England