



282 TSN

Chiavi a settore snodate con nasello tondo



DATI TECNICI

- Per operare con una sola chiave su ghiera di più diametri
- Esecuzione cromata



282 TSN
Chiavi a settore snodate con nasello
tondo
DISEGNO




TABELLA DISEGNO

	ϕS	A	B	L	ϕD	$E^{+1}_{-0.5}$
USAG 282 TSN / 15–35	15–35mm	9.8	31	168	2.8	2.8
USAG 282 TSN / 35–50	35–50mm	10.7	39	202	3.8	3.6
USAG 282 TSN / 50–80	50–80mm	14.0	55	280	4.8	5.0
USAG 282 TSN / 80–120	80–120mm	17.2	75	345	5.8	7.0
USAG 282 TSN / 120–180	120–180mm	19.2	110	465	7.8	9.0

Durezza HRC 33÷40



282 TSN

Chiavi a settore snodate con nasello tondo

MATERIALI

Acciaio

CONFEZIONAMENTO

- Sacchetto di plastica 1Pz



Stanley Black & Decker Italia Srl
Via Volta, 3 - 21020 Monvalle (VA)
Tel. +39 0332 790111 - Fax +39 0332 790330
info.mv@usag.it

USAG.IT
USAG-TOOLS.NET

UK Importer - USAG UK, 270 Bath Rd, Slough SL1 4DX, England